

$\tilde{a}f \bullet \tilde{a}ff \tilde{a}f \tilde{a}f \tilde{a}f^{1/4} \tilde{a}, \tilde{a}f - \tilde{a}f^a \tilde{a}ff \tilde{a},$

Category : ã,µäf¹¼äf•ç®íç•tæ—¥è

Published by M-naka on 2005/1/9

æ-£ä•«ä€Œæ©ä€•ä€,

ã€€å®å®¶ã•®Murasameã•®å†•è"-å®šã€,

ã€€ç,,ïç·šLANã,ðã,~ã,»ã,1äf^ã,¤ãf³äf^ã•~ã•~ã!æ©Ýèf½ã•~ã•lã•,ã,
»ã,°äf^äf³äf^ã•~ç,,ïç·šã,»ã,°äf^äf³äf^ã•«äf^äffäf^äf^äf½ã,~ã,'å†ã•ã€•Murasameã•®å†...éf^ã•§N
APTã,æŽ>ã•~ã,ã€•ã•~ã•~ã•tã•ØÝés,ã•«ã•~ç,,ïç·šLANäf «äf½ã,~ã•~ã•~ã!æ©Ýèf½ã•ã•~ã•lã•,ã,ã€,

ã€€ç>®çš,ã•ã,‰%ã°™ã,Œæ°äf «äf¼äf†ã,£äf³ã,°ã•°äf•ã,¡ã,¤ã,¢ã,¡ã,©äf½äf «é-å®šã,ã•ä•¡ã,“ã•ã,,ã,Šã•‡ã,Œæ°ã•,ã•,ã•-ã•šã•äa•®ã•§ã€•iptablesä•§äf—äf²äf³ã,¿å...±æœ%ä•«å¿...èl•ã•äf•äf½äf^ã •®é-æ”%ä,ã•—ã•!ã•¿ã•Ýã•®ä• å•Œä€!å€!ä€,ã•@ä•†ã,,ä,Šæ‰^ää•,ã•ä•ä•,ã•€,å•šã•†ã,1ã,¿äf†ã,£äffä,-ï¼é™çš,ï¼%äf «äf¼äf†ã,£äf³ã,°ã,‘ä½µç””ã•—ã•ä•ä•,ã•°ä•,ã•ä•ä•,ã•®ä• å•ä•†ã•Œä€!ä,-äf «ä•Œä‡ã,‰%ä•šè”-å®šã•§ã•ä•ä•,

“*Half a dozen*,” said the man.

æ€ä,«äf¼äf•äf «ä,³äf³äf•ä,£ä,®äf¥äf¬äf¼ä,·äf§äf³ä•§ä€ŒNetworking

Options • ® Ø 802.1d Ethernet

ã€€

Bridge-utils

Ã€€[sourceforge](#)•®äf—äf-ä, ä§ä, -äf'äfšäf%ä.,
ä•ä,%äf—äf¤äffä,,åŒ—ä•®ä•Ýä,•ä•®äf!äf%äf†ä,£äf¤äf†ä,£ä,'äf€ä,¡äf³äf-äf%äf‰ä€,å°Žå...¥ä•-
.configure•makeä€•make
install•ä•Šç`„æ•Ýé€šä,Šä€,/usr/local/sbinä»¥ä,¡ä•«brctlä•ä•„ä•†äf—äf-ä, °äf©äf ä•Œä,¤äf³ä,¡äf'
äf%äf«ä•äŒä,¡ä€,

“Žāf – āf^aāffā, „ā•®æ§‘ç”%

ä€€brctlä,³äfžäf³äf‰ä•§äf–äfªäffä,,ä,’æ§ç–‰ä•™ä,ä€,

```
#/usr/local/sbin/brctl addbr br0
#/usr/local/sbin/brctl addif br0 eth0
#/usr/local/sbin/brctl addif br0 wlan0
#/sbin/ifconfig eth0 0.0.0.0 up
#/sbin/ifconfig wlan0 0.0.0.0 up
#/sbin/ifconfig br0 192.168.2.100 netmask 255.255.255.0 up
#/sbin/route add default gw 192.168.2.1 br0
```

€€•Ý• €•å•é|Œ•Œ1ç,¹•,¤,

ā€€ā•%ā•Yā€•af“āf%ā, ;as@Yēf%ā, ’ā•tā•fā•Yā€•ā•”ā•”ā•”ā€•c, ic-šā, cā, ”ā, ”ā, lā•šā...±æœ

